

HEX HEAD BOLTS



*ZINC PLATED
*GRADE 5 CARBON

DIAMETER	LENGTH	THREAD	NI#
1/2"	1"	1"	IN-12011
1/2"	1-1/2"	1-1/2"	IN-12010
1/2"	3"	...	IN-12166
1/2"	4"	1-3/8"	IN-12001
3/8"	1"	1"	IN-12015
3/8"	1-1/2"	1-1/2"	IN-12013
3/8"	2-1/2"	2-1/2"	IN-12159
3/8"	3-3/4"	...	IN-12004
3/8"	4-1/2"	...	IN-12003
3/8"	6-1/4"	...	IN-12002
5/16"	3/8"	...	IN-12018
5/16"	1"	...	IN-12016
5/16"	1-3/16"	...	IN-12017
5/16"	1-1/4"	1-1/4"	IN-12009
5/16"	1-1/2"	1-1/2"	IN-12008
5/16"	1-3/4"	1"	IN-12007
5/16"	2-1/4"	1-1/16"	IN-12005
M5	15 MM	15 MM	IN-12107
M6	10 MM	10 MM	IN-12109
M6	15 MM	15 MM	IN-12110
M6	40 MM	40 MM	IN-12115
M6	50 MM	50 MM	IN-12117
M6	55 MM	55 MM	IN-12118
M6	60 MM	60 MM	IN-12119
M6	65 MM	65 MM	IN-12120
M6	70 MM	70 MM	IN-12121
M6	75 MM	75 MM	IN-12122
M6	80 MM	80 MM	IN-12123
M8	10 MM	10 MM	IN-12124
M8	12 MM	12 MM	IN-12125
M8	15 MM	15 MM	IN-12126
M8	25 MM	25 MM	UP-12527
M8	35 MM	35 MM	IN-12130
M8	45 MM	45 MM	IN-12132
M8	50MM	25 MM	IN-12006
M10	30 MM X PITCH 1.25	...	IN-12012
M45	450 MM	...	IN-12710

FLANGE HEX BOLTS



MATERIAL: TITANIUM

DIAMETER	LENGTH	THREAD LENGTH	NI#
10	30 MM	1.5	IN-12706-1
6	10 MM	1	IN-12706-2
6	16 MM	1	IN-12706-3
6	25 MM	1	IN-12706-4
6	30MM	1	IN-12706-5
6	70 MM	1	IN-12706-6
8	20 MM	1.25	IN-12706-7
10	30 MM	1.5	IN-12706-1H
6	10 MM	1	IN-12706-2H
6	16 MM	1	IN-12706-3H
6	25 MM	1	IN-12706-4H
6	30MM	1	IN-12706-5H
6	70 MM	1	IN-12706-6H
6	10 MM	1	IN-12706-7H

FLANGE NUTS

MATERIAL: STEEL



SIZE	FINISH	NI#
M6	ZINC PLATED	IN-12056
M8	ZINC PLATED	IN-12057
M10	ZINC PLATED	IN-12058
M10	ZINC PLATED	SM-08092-2

CONED SHAPED NUTS



SIZE	PITCH	HEIGHT	WIDTH	NI#
M12	1.5	14MM	19MM	76-040E

CHAIN ADJUSTER BOLT

50-015



PUCH	NI#	DIA.	PITCH	LENGTH
DAKOTA	50-015	M7	1	55MM

HEX PAN HEAD BOLTS



HEX PAN HEAD: 5MM, TOP: 10MM
MATERIAL: ALUMINUM 6061, T6
FINISH: ZINC PLATED

NI#	LENGTH	THREAD	DIA.	COLOR
IN-12810	20MM	1.25	M8	SILVER
IN-12810-1	20MM	1.25	M8	ANODIZED RED

COTTER PINS

*STEEL, ZINC PLATED



NI#	O.D.	LENGTH
MR-16035	0.16"	1.8"
MR-16058	0.22"	1.1"
MR-16033	0.16"	1.5"
MR-16034	0.16"	2"

FLANGE BOLTS



MATERIAL: GRADE 5 CARBON STEEL
FINISH: ZINC PLATED

*** -1 FOR 15 PCS/BAG

SIZE	LENGTH	THREAD LENGTH	UNIT	NI#
M6	10MM	10MM	PC	IN-12025
M6	15MM	15MM	PC	IN-12026
M6	20MM	20MM	PC	IN-12027
M6	25MM	25MM	PC	IN-12028
M6	30MM	30MM	PC	IN-12029
M6	35MM	35MM	PC	IN-12030
M6	40MM	40MM	PC	IN-12031
M6	45MM	45MM	PC	IN-12032
M8	10MM	10MM	PC	IN-12033
M8	15MM	15MM	PC	IN-12034
M8	20MM	20MM	PC	IN-12035
M8	25MM	25MM	PC	IN-12036
M8	30MM	30MM	PC	IN-12037
M8	35MM	35MM	PC	IN-12038
M8	40MM	40MM	PC	IN-12039
M8	45MM	45MM	PC	IN-12040
M10	15MM	15MM	PC	IN-12041
M10	20MM	20MM	PC	IN-12042
M10	25MM	25MM	PC	IN-12043
M10	30MM	30MM	PC	IN-12044
M10	35MM	35MM	PC	IN-12045
M10	40MM	40MM	PC	IN-12046
M10	45MM	45MM	PC	IN-12047
M10	50MM	50MM	PC	IN-12048

BUTTON HEAD BOLTS

MATERIAL: LOW CARBON STEEL
FINISH: ZINC PLATED

IN-12019

IN-12020~24



DIAMETER	LENGTH	THREAD LENGTH	NI#
3/8"	2-1/4"	1"	IN-12019
3/8"	1"	1"	IN-12024
5/16"	3/4"	3/4"	IN-12023
5/16"	1"	1"	IN-12022
5/16"	1-1/4"	1-1/4"	IN-12021
5/16"	1-1/2"	1-1/2"	IN-12020

FLAT WASHERS

*STEEL, ZINC PLATED



NI#	I.D.	O.D.	THICKNESS
IN-12060	17.5MM	44.5MM	3.4MM
IN-12061	43/64"	1-5/16"	3/32"
IN-12062	13.4MM	27.2MM	2.4MM
IN-12063	5/64"	1"	3/32"
IN-12064	3/8"	29/32"	5/64"
IN-12065	1/32"	3/4"	3/64"
IN-12180	10.5MM	22MM	1.8MM
IN-12181	8.5MM	16MM	1.5MM
IN-12311	6MM	3/4"	1.5MM

HEX NUTS

MATERIAL: STEEL
FINISH: ZINC PLATED



NI#	SIZE
IN-12050	7/16"
IN-12051	5/16"
50-902	6 MM
50-904	8 MM
50-109	12 MM x 1.0

HEX NYLON LOCK NUTS

MATERIAL: STEEL
FINISH: ZINC PLATED



NI#	SIZE
IN-12055	1/4"
IN-12053	7/16"
IN-12052	1/2"
50-111	5MM
50-112	6MM
IN-12144	6 MM X 1.00
IN-12145	8 MM X 1.25
IN-12146	10 MM X 1.25
IN-12147	10 MM X 1.50
MR-16041	12MM X 1.25

COUNTERSUNK BOLTS



NI#	SIZE	THREAD	LENGTH	FINISH
IN-12163	1/4"	20UNC	3/4"	ZINC PLATED
IN-12164	1/4"	20UNC	1/2"	ZINC PLATED
IN-12162	5/16"	18UNC	3/4"	ZINC PLATED
IN-12161	5/16"	18UNC	2-1/2"	ZINC PLATED

EYE BOLTS

*STEEL ZINC PLATED



IN-12070/1

NI#	Column1 BODY DIA.	Column2 EYE DIA.	Column3 OVERALL LENGTH	Column4	Column5
IN-12070	7MM	16MM	105MM		
IN-12071	1/4"	1/2"	2-3/4"		
IN-12160	1/2"	30.5MM	102 MM		

ALLOY SCREWS

- * AVAILABLE IN BLUE, GOLDEN, RED, PURPLE.
- * THE THREAD LENGTH IS ABOUT 25MM.
- * THE LENGTH DOESN'T INCLUDE THE HEAD.
- * MODEL SPECIFIC PACKAGES ARE AVAILABLE
- * CUSTOM MADE KITS



NI #	O.D. X LENGTH
CT-E01D5	5 X 10 (P. 0.8)
CT-E02D5	5 X 15 (P. 0.8)
CT-E03D5	5 X 20 (P. 0.8)
CT-E04D5	5 X 25 (P. 0.8)
CT-E05D5	5 X 30 (P. 0.8)
CT-E06D5	5 X 35 (P. 0.8)
CT-E07D5	5 X 40 (P. 0.8)
CT-E08D5	5 X 45 (P. 0.8)
CT-E01D6	6 X 10 (P. 1.0)
CT-E02D6	6 X 15 (P. 1.0)
CT-E03D6	6 X 20 (P. 1.0)
CT-E04D6	6 X 25 (P. 1.0)
CT-E05D6	6 X 30 (P. 1.0)
CT-E06D6	6 X 35 (P. 1.0)
CT-E07D6	6 X 40 (P. 1.0)
CT-E08D6	6 X 45 (P. 1.0)
CT-E09D6	6 X 50 (P. 1.0)
CT-E01D8	8 X 10 (P. 1.25)
CT-E02D8	8 X 15 (P. 1.25)
CT-E03D8	8 X 20 (P. 1.25)
CT-E04D8	8 X 25 (P. 1.25)
CT-E05D8	8 X 30 (P. 1.25)
CT-E06D8	8 X 35 (P. 1.25)
CT-E07D8	8 X 40 (P. 1.25)
CT-E08D8	8 X 45 (P. 1.25)
CT-E09D8	8 X 50 (P. 1.25)

HEX FLANGE HEAD SCREWS



NI #	O.D. X LENGTH
CT-E01A5	5 X 10 (P. 0.8)
CT-E02A5	5 X 15 (P. 0.8)
CT-E03A5	5 X 20 (P. 0.8)
CT-E04A5	5 X 25 (P. 0.8)
CT-E05A5	5 X 30 (P. 0.8)
CT-E06A5	5 X 35 (P. 0.8)
CT-E07A5	5 X 40 (P. 0.8)
CT-E08A5	5 X 45 (P. 0.8)
CT-E01A6	6 X 10 (P. 1.0)
CT-E02A6	6 X 15 (P. 1.0)
CT-E03A6	6 X 20 (P. 1.0)
CT-E04A6	6 X 25 (P. 1.0)
CT-E05A6	6 X 30 (P. 1.0)
CT-E06A6	6 X 35 (P. 1.0)
CT-E07A6	6 X 40 (P. 1.0)
CT-E08A6	6 X 45 (P. 1.0)
CT-E09A6	6 X 50 (P. 1.0)
CT-E01A8	8 X 10 (P. 1.25)
CT-E02A8	8 X 15 (P. 1.25)
CT-E03A8	8 X 20 (P. 1.25)
CT-E04A8	8 X 25 (P. 1.25)
CT-E05A8	8 X 30 (P. 1.25)
CT-E06A8	8 X 35 (P. 1.25)
CT-E07A8	8 X 40 (P. 1.25)
CT-E08A8	8 X 45 (P. 1.25)
CT-E09A8	8 X 50 (P. 1.25)

PAN HEAD BOLTS

- * AVAILABLE IN BLUE, GOLDEN, RED, PURPLE.
- * THE THREAD LENGTH IS ABOUT 25MM.
- * THE LENGTH DOESN'T INCLUDE THE HEAD.



NI #	O.D. X LENGTH
CT-E01C5	5 X 10 (P. 0.8)
CT-E02C5	5 X 15 (P. 0.8)
CT-E03C5	5 X 20 (P. 0.8)
CT-E04C5	5 X 25 (P. 0.8)
CT-E05C5	5 X 30 (P. 0.8)
CT-E06C5	5 X 35 (P. 0.8)
CT-E07C5	5 X 40 (P. 0.8)
CT-E08C5	5 X 45 (P. 0.8)
CT-E01C6	6 X 10 (P. 1.0)
CT-E02C6	6 X 15 (P. 1.0)
CT-E03C6	6 X 20 (P. 1.0)
CT-E04C6	6 X 25 (P. 1.0)
CT-E05C6	6 X 30 (P. 1.0)
CT-E06C6	6 X 35 (P. 1.0)
CT-E07C6	6 X 40 (P. 1.0)
CT-E08C6	6 X 45 (P. 1.0)
CT-E09C6	6 X 50 (P. 1.0)
CT-E01C8	8 X 10 (P. 1.25)
CT-E02C8	8 X 15 (P. 1.25)
CT-E03C8	8 X 20 (P. 1.25)
CT-E04C8	8 X 25 (P. 1.25)
CT-E05C8	8 X 30 (P. 1.25)
CT-E06C8	8 X 35 (P. 1.25)
CT-E07C8	8 X 40 (P. 1.25)
CT-E08C8	8 X 45 (P. 1.25)
CT-E09C8	8 X 50 (P. 1.25)

ALLEN HEAD SCREWS

*STEEL, ZINC PLATED



DIA.	LENGTH	THREAD	NI #
6	18 MM	1	MC-12651-2
6	35 MM	1	MC-12651-1
6	70 MM	1	MC-16268-1

SPRING WASHERS

*STEEL, ZINC PLATED



NI#	I.D.	UNIT
IN-12308	4 MM	PC
IN-12308-1	5.2MM	PC
IN-12308-2	6.7MM	PC
IN-12308-3	5 MM	PC
IN-12308-4	6 MM	PC
IN-12308-5	8 MM	PC
IN-12308-6	10 MM	PC
IN-12308-7	12 MM	PC

SEALING WASHER

*ALUMINUM, 5052
*THICKNESS: 2MM



NI#	I.D.	O.D.
IN-12093	12.5MM	19.8MM

FLANGE BOLTS



MATERIAL: GRADE 5 CARBON STEEL
FINISH: ZINC PLATED

*** -1 FOR 15 PCS/BAG

SIZE	LENGTH	THREAD LENGTH	UNIT	NI#
M6	10MM	10MM	PC	IN-12025
M6	15MM	15MM	PC	IN-12026
M6	20MM	20MM	PC	IN-12027
M6	25MM	25MM	PC	IN-12028
M6	30MM	30MM	PC	IN-12029
M6	35MM	35MM	PC	IN-12030
M6	40MM	40MM	PC	IN-12031
M6	45MM	45MM	PC	IN-12032
M8	10MM	10MM	PC	IN-12033
M8	15MM	15MM	PC	IN-12034
M8	20MM	20MM	PC	IN-12035
M8	25MM	25MM	PC	IN-12036
M8	30MM	30MM	PC	IN-12037
M8	35MM	35MM	PC	IN-12038
M8	40MM	40MM	PC	IN-12039
M8	45MM	45MM	PC	IN-12040
M10	15MM	15MM	PC	IN-12041
M10	20MM	20MM	PC	IN-12042
M10	25MM	25MM	PC	IN-12043
M10	30MM	30MM	PC	IN-12044
M10	35MM	35MM	PC	IN-12045
M10	40MM	40MM	PC	IN-12046
M10	45MM	45MM	PC	IN-12047
M10	50MM	50MM	PC	IN-12048

BUTTON HEAD BOLTS

MATERIAL: LOW CARBON STEEL
FINISH: ZINC PLATED

IN-12019

IN-12020~24



DIAMETER	LENGTH	THREAD LENGTH	NI#
3/8"	2-1/4"	1"	IN-12019
3/8"	1"	1"	IN-12024
5/16"	3/4"	3/4"	IN-12023
5/16"	1"	1"	IN-12022
5/16"	1-1/4"	1-1/4"	IN-12021
5/16"	1-1/2"	1-1/2"	IN-12020

FLAT WASHERS

*STEEL, ZINC PLATED



NI#	I.D.	O.D.	THICKNESS
IN-12060	17.5MM	44.5MM	3.4MM
IN-12061	43/64"	1-5/16"	3/32"
IN-12062	13.4MM	27.2MM	2.4MM
IN-12063	5/64"	1"	3/32"
IN-12064	3/8"	29/32"	5/64"
IN-12065	1/32"	3/4"	3/64"
IN-12180	10.5MM	22MM	1.8MM
IN-12181	8.5MM	16MM	1.5MM
IN-12311	6MM	3/4"	1.5MM

HEX NUTS

MATERIAL: STEEL
FINISH: ZINC PLATED



NI#	SIZE
IN-12050	7/16"
IN-12051	5/16"
50-902	6 MM
50-904	8 MM
50-109	12 MM x 1.0

HEX NYLON LOCK NUTS

MATERIAL: STEEL
FINISH: ZINC PLATED



NI#	SIZE
IN-12055	1/4"
IN-12053	7/16"
IN-12052	1/2"
50-111	5MM
50-112	6MM
IN-12144	6 MM X 1.00
IN-12145	8 MM X 1.25
IN-12146	10 MM X 1.25
IN-12147	10 MM X 1.50
MR-16041	12MM X 1.25

COUNTERSUNK BOLTS



NI#	SIZE	THREAD	LENGTH	FINISH
IN-12163	1/4"	20UNC	3/4"	ZINC PLATED
IN-12164	1/4"	20UNC	1/2"	ZINC PLATED
IN-12162	5/16"	18UNC	3/4"	ZINC PLATED
IN-12161	5/16"	18UNC	2-1/2"	ZINC PLATED

EYE BOLTS

*STEEL ZINC PLATED




IN-12070/1

NI#	Column1 BODY DIA.	Column2 EYE DIA.	Column3 OVERALL LENGTH	Column4	Column5
IN-12070	7MM	16MM	105MM		
IN-12071	1/4"	1/2"	2-3/4"		
IN-12160	1/2"	30.5MM	102 MM		

U-BOLTS



AT-12091




AT-12092



AT-12093



AT-12104



AT-12455



IN-12150



IN-12200 / 01
IN-12202 / 03



IN-12220/21



IN-12210 / 11
IN-12212 / 13 / 14




UP-12147

NI#	TYPE	DIA.	LENGTH	SIZE / SPECS
AT-12067	ROUND	2"	30.24MM	INCL.12PCS M8 FLANGE NUTS
AT-12091	ROUND	1/2"	6"	INCL.4 LOCKNUT AND SPRING WASHER
AT-12092	SQUARE	1/2"	110MM	INCL.4 LOCKNUT AND FLAT WASHER
AT-12093	SQUARE	3/8"	110MM	INCL.4 LOCKNUT AND FLAT WASHER
AT-12104	ROUND	1/2"	2"	4PCS NYLON NUT AND FLAT WASHERS
AT-12455	SQUARE		60MM	W/ 4PCS NYLON NUT AND 4PCS WASHER.
IN-12150	ROUND	1.2	7.6	NO THREADS
IN-12200	SQUARE	7MM	70MM	39.7MM X 63MM(INNER),ZINC PLATED
IN-12201	SQUARE	7MM	75MM	29.4MM(INNER WIDTH)X43.2MM(OUTER W.)
IN-12202	SQUARE	7MM	58MM	29.4MM(INNER WIDTH)X43.2MM(OUTER W.)
IN-12203	SQUARE	6MM	47MM	27.2MM X 42MM(INNER WIDTH)
IN-12220	ROUND	7MM	60MM	39.8MM(INNER),FLAT ON TOP
IN-12221	ROUND	5/16"	52.5MM	33.4MM(INNER),FLAT ON TOP
IN-12210	ROUND	5/16"	95MM	65.5MM X 88MM(INNER)
IN-12211	ROUND	3/8"	72MM	1-1/2"(INNER WIDTH),2-3/16"(OUTER)
IN-12212	ROUND	5/16"	57MM	32.7MM X 50MM(INNER)
IN-12213	ROUND	5/16"	2"	1-1/8"(INNER) X 1-11/16"(OUTER)
IN-12214	ROUND	7MM	51MM	25.6MM(INNER)
UP-12147	ROUND	6MM	57MM	6MM X 4PCS, NYLON NUT: M6 X 8PCS, OPEN WRENCH: M6 X 1PC.

RIVETS

NI#	TYPE	O.D. (D)	LENGTH (L)	FLANGE (B)	PKG
12-117-01	86D	3/16"	3/8"	3/8"	100PCS
14-300	056F	5/32"	3/8"	5/16"	100PCS
14-304	64L	3/16"	3/8"	5/8"	100PCS
14-305	66L	3/16"	1/2"	5/8"	100PCS
14-306	68L	3/16"	5/8"	5/8"	100PCS
14-307	610L	3/16"	3/4"	5/8"	100PCS
14-309	86D	1/4"	1/2"	1/2"	100PCS
UP-12SB6-5	066F	3/16"	3/8"	3/8"	100PCS
UP-12SB5-8	068F	3/16"	1/2"	3/8"	100PCS

*12-117-01 FOR 1,000/PCS PER BAG




HEX NUT

*ZINC PLATE



DIAMETER	PITCH	NI#
6MM	1	AT-03755

BLIND RIVETS



DIAMETER	GRIP	REF #	MATERIAL	NI#	
1/8"	0.5~3.0	AB4-1	ALU	UP-12AB4-1	
	3.0~3.8	AB4-2		UP-12AB4-2	
	3.8~5.0	AB4-3		UP-12AB4-3	
	5.0~6.5	AB4-4		UP-12AB4-4	
	6.5~8.5	AB4-5		UP-12AB4-5	
	8.5~10.5	AB4-6		UP-12AB4-6	
	10.5~11.2	AB4-7		UP-12AB4-7	
	10.5~13.0	AB4-8		UP-12AB4-8	
3/16"	3.2~4.2	AB6-2	ALU	UP-12AB6-2	
	4.2~6.2	AB6-3		UP-12AB6-3	
	6.2~9.5	AB6-4		UP-12AB6-4	
	9.5~12.5	AB6-5		UP-12AB6-5	
	12.5~16.5	AB6-6		UP-12AB6-6	
	15.5~18.0	AB6-7		UP-12AB6-7	
	18.0~22.2	AB6-8		UP-12AB6-8	
	22.2~25.4	AB6-10		UP-12AB6-10	
	N/A	AB6-12		UP-12AB6-12	
	3/32"	5.0~7.2		AB3-3	ALU
N/A		AB3-4	UP-12AB3-4		
5/32"	3.0~4.2	AB5-2	ALU	UP-12AB5-2	
	4.2~4.6	AB5-3		UP-12AB5-3	
	6.2~8.2	AB5-4		UP-12AB5-4	
	8.2~9.5	AB5-5		UP-12AB5-5	
	9.5~11.0	AB5-6		UP-12AB5-6	
1/8"	12.5~15.0	AB5-8	ALU	UP-12AB5-8	
	5.0~6.5	SB4-4		STEEL	UP-12SB4-4
	8.5~10.5	SB4-6			UP-12SB4-6
3/16"	3.2~4.2	SB6-2	STEEL		UP-12SB6-2
	6.2~9.5	SB6-4		UP-12SB6-4	
	9.5~12.5	SB6-5		UP-12SB6-5	
	12.5~16.5	SB6-6		UP-12SB6-6	
	15.5~18.0	SB6-7		UP-12SB6-7	
	18.0~22.2	SB6-8		UP-12SB6-8	
	22.2~25.4	SB6-10		UP-12SB6-10	

FUJI LOCK NUT

- COMPRISED OF A NUT AND FRICTION RING (SPECIAL SPRING STAINLESS STEEL).
- THE FRICTION RING IS ATTACHED TO THE TOP FACE OF THE NUT BY CRIMPING.

FEATURES:

- ** FASTENING FUNCTION - FUJILOK GUARANTEES LONG LASTING RESISTANCE TO VIBRATION.
- ** PREVENTION OF "LOOSENING" - EARLY STAGE LOOSENING OF THE FUJILOK ARE PREVENTED EVEN IF THE AXIAL TENSIONS ARE LOWERED.
- ** SIMPLE TO USE- SIMPLE FASTENING SAVES TIME AND IMPROVES PRODUCTIVITY.
- ** SINGLE PART ONE PART, ONE WAY TO INSTALL, SIMPLE, EASY, EFFECTIVE.



UP-12657



UP-12658



UP-12659

DIAMETER	PITCH	TEETH	NI#
M6	1	3	UP-12657
M8	1.25	2	UP-12658
M10	1.5	2	UP-12659

HARDWARE KIT IN-12700



*GRADE 5 STEEL
*ZINC PLATED

O.D. X LENGTH	DESCRIPTION	QUANTITY
M8 X 40MM	FLANGE BOLT	2PC
M8 X 30MM	FLANGE BOLT	2PC
M8 X 16MM	FLANGE BOLT	2PC
M6 X 40MM	FLANGE BOLT	2PC
M6 X 25MM	FLANGE BOLT	4PC
M6 X 20MM	FLANGE BOLT	6PC
M6 X 16MM	FLANGE BOLT	6PC
M6 X 12MM	FLANGE BOLT	6PC
M5 X 10MM	PAN HEAD SCREW	4PC
8.1 X 22 X 1.7MM	WASHER	4PC
8.6 X 16.8 X 1.5MM	WASHER	4PC
6.5 X 17.7 X 1.6MM	WASHER	6PC
6.6 X 11.9 X 1.5MM	WASHER	6PC

HARDWARE CLIP UP-12319



URAL

THREAD: 6MM X PITCH 1.0MM, FIT HEIGHT: 6.7MM, WIDTH: 13MM.
OVERALL: 24.7MM.

CRUSH WASHER



UP-12514

I.D.	O.D.	T
18MM	24MM	1MM

MATERIAL: ALUMINUM ALLOY
FINISH: NATURAL
***USED FOR SUMP PLUG SEALING**



UP-12515

I.D.	O.D.	T
10.2MM	15MM	1.2MM

MATERIAL: COPPER
FINISH: NATURAL
***USED FOR BRAKE BANJO SEALING**

TITANIUM BOLT



***TITANIUM GRADE2**

NI#	SIZE	S T O S
UP-12300	M6 X12 MM	10 MM
UP-12300-1	M6 X16 MM	10 MM
UP-12300-2	M6 X20 MM	10 MM
UP-12300-3	M6 X25 MM	10 MM
UP-12300-4	M6 X30 MM	10 MM
UP-12300-5	M6 X35 MM	10 MM
UP-12300-6	M6 X40 MM	10 MM
UP-12301	M6 X30 MM	13 MM

BOLT COVER



NI#	CAP O.D.	FIT
UP-12334	16MM	10MM ALLEN BOLT HEAD HOLE
UP-12334-1	16MM	8MM ALLEN BOLT HEAD HOLE
UP-12334-2	16MM	6MM ALLEN BOLT HEAD HOLE

HARDWARE KIT IN-12712



***WITH TEAM 10 LOGO STICKER ON BOX**

DESCRIPTION	QUANTITY	SIZE
NUT	20	M3
NUT	20	M4
FLAT WASHER	20	3 MM
FLAT WASHER	20	4 MM
FLAT WASHER	30	5 MM
FLAT WASHER	50	6 MM
FLAT WASHER	50	8 MM
FLAT WASHER	30	10 MM
FENDER WASHER	30	5 MM
FENDER WASHER	30	6MM
FENDER WASHER	30	8MM
FENDER WASHER	30	10 MM
BOLT	10	M3 x 20
BOLT	10	M3 x 30
BOLT	10	M4 x 10
BOLT	10	M4 x 30
BOLT	10	M5 x 10
BOLT	10	M5 x 15
BOLT	10	M5 x 20
BOLT	10	M5 x 25
BOLT	10	M5 x 30
BOLT	20	M6 x 10
BOLT	20	M6 x 12
BOLT	20	M6 x 15
BOLT	20	M6 x 20
BOLT	20	M6 x 25
BOLT	20	M6 x 30
BOLT	20	M6 x 35
BOLT	20	M6 x 40
BOLT	15	M6 x 45
BOLT	15	M6 x 50
BOLT	10	M8 x 10
BOLT	10	M8 x 15
BOLT	10	M8 x 20
BOLT	10	M8 x 25
BOLT	10	M8 x 30
BOLT	10	M8 x 35
BOLT	5	M8 x 40
BOLT	5	M8 x 45
BOLT	5	M8 x 50
BOLT	5	M8 x 60
BOLT	10	M10 x 10
BOLT	10	M10 x 20
BOLT	10	M10 x 30
BOLT	5	M10 x 40
BOLT	5	M10 x 50
BOLT	5	M10 x 60
BOLT	5	M10 x 70